

HPD UNIQUE IDENTIFIER: 1139112960

CLASSIFICATION: 05 40 00 Cold-Formed Metal Framing

PRODUCT DESCRIPTION: BackIt®, BridgeClip®, BuckleBridge®, CircleTrak®, Common Angle, DriftClip®, DriftTrack®, GripClip®, JamStud®, MasterClip®, MidWall™, PrimeJoist®, SigmaStud®, Standard Stud & Track, StiffClip®, StiffWall®, ThermaFast®, VertiClip®, and VertiTrack®.

Section 1: Summary

Basic Method / Product Threshold

CONTENT INVENTORY

<b>Inventory Reporting Format</b>	<b>Threshold Level</b>	<b>Residuals/Impurities Evaluation</b>	<i>For all contents above the threshold, the manufacturer has:</i>
<input type="radio"/> Nested Materials Method	<input checked="" type="radio"/> 100 ppm	<input type="radio"/> Completed	<b>Characterized</b> <input checked="" type="radio"/> Yes <input type="radio"/> No
<input checked="" type="radio"/> Basic Method	<input type="radio"/> 1,000 ppm	<input type="radio"/> Partially Completed	<i>Provided weight and role.</i>
<b>Threshold Disclosed Per</b>	<input type="radio"/> Per GHS SDS	<input checked="" type="radio"/> Not Completed	<b>Screened</b> <input checked="" type="radio"/> Yes <input type="radio"/> No
<input type="radio"/> Material	<input type="radio"/> Other	<b>Explanation(s) provided :</b>	<i>Provided screening results using HPDC-approved methods.</i>
<input checked="" type="radio"/> Product		<input checked="" type="radio"/> Yes <input type="radio"/> No	<b>Identified</b> <input checked="" type="radio"/> Yes <input type="radio"/> No
			<i>Provided name and CAS RN or other identifier.</i>

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

**PRODUCT | MATERIAL OR SUBSTANCE | RESIDUAL OR IMPURITY**

**GREENSCREEN SCORE | HAZARD TYPE**

**COLD-FORMED STEEL FRAMING [ IRON, ELEMENTAL (IRON) LT-P1**

END **MANGANESE LT-P1** | END | MUL | REP | MAM | AQU **CARBON LT-UNK**

**COPPER LT-P1** | MUL | AQU | MAM **PHOSPHORUS BM-2** |

MAM | PHY | EYE | AQU | SKI **NICKEL LT-1** | CAN | MUL | RES | MAM |

SKI | AQU **MOLYBDENUM LT-UNK** | MAM | SKI | REP **CHROMIUM LT-P1** |

END | SKI | MAM | REP | RES **TITANIUM LT-UNK** | PHY **NIOBIUM LT-UNK**

**NITROGEN NoGS** **ZINC, ELEMENTAL LT-P1** | MUL | AQU

**SILICON, ELEMENTAL LT-UNK** **ALUMINUM LT-P1** | END | MAM | PHY

**VANADIUM LT-1** | CAN | GEN **SULFUR, HOMOPOLYMER LT-UNK** |

Number of Greenscreen BM-4/BM3 contents ... 0

Contents highest-concern GreenScreen score(s) (BM-1, LT-1, LT-P1) ... LT-P1, LT-1

Nanomaterial ... No

**INVENTORY AND SCREENING NOTES:**

In order to obtain cold-formed steel framing products that comply with the residual disclosure levels of this HPD, you must request mill certified steel at the time you place your order. If the request is made after manufacturing we cannot guarantee the applicability of this document.

VOLATILE ORGANIC COMPOUND (VOC) CONTENT

VOC Content data is not applicable for this product category.

**CERTIFICATIONS AND COMPLIANCE** *See Section 3 for additional listings.*

VOC emissions: Extended Producer Responsibility (EPR) program - LEED compliant

**CONSISTENCY WITH OTHER PROGRAMS**

Pre-checked for LEED v4 Option 1.

Pre-checked for LEED v4.1 Option 1.

Third Party Verified?	PREPARER: Self-Prepared	SCREENING DATE: 2025-04-14
<input type="radio"/> Yes	VERIFIER:	PUBLISHED DATE: 2025-04-14
<input checked="" type="radio"/> No	VERIFICATION #:	EXPIRY DATE: 2028-04-14

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.3, available on the HPDC website at: [www.hpd-collaborative.org/hpd-2-3-standard](http://www.hpd-collaborative.org/hpd-2-3-standard)

COLD-FORMED STEEL FRAMING

PRODUCT THRESHOLD: 100 ppm

RESIDUALS AND IMPURITIES EVALUATION COMPLETED: No

RESIDUALS AND IMPURITIES NOTES: "All commercial steel products may contain small amounts of various elements in addition to those specified. These small quantities (less than 0.1%) may exist as intentional additions, or as "trace" or "residual" elements that generally originate in the raw materials used. These elements may include: aluminum, antimony, arsenic, boron, cadmium, calcium, chromium, cobalt, columbium, copper, lead, molybdenum, nickel, silicon, tin, titanium, vanadium, and zirconium"

OTHER PRODUCT NOTES: Final percentage concentration of steel in the finished product depends on the ratio of steel (base metal) to the corrosion resistant galvanized coating. These percentages will vary depending on the product mix ordered.

IRON, ELEMENTAL (IRON)

ID: 7439-89-6

HAZARD DATA SOURCE: <b>Pharos Chemical and Materials Library</b>			HAZARD SCREENING DATE: <b>2025-04-14 7:55:49</b>		
%: <b>97.0000 - 99.0000</b>	GreenScreen: <b>LT-P1</b>	RC: <b>Both</b>	NANO: <b>No</b>	SUBSTANCE ROLE: <b>Structure component</b>	
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS		
END	TEDX - Potential Endocrine Disruptors		Potential Endocrine Disruptor		
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION		
None found			No listings found on Additional Hazard Lists		

SUBSTANCE NOTES: Substance can be / is sourced from other recycled steel scrap material, old automobiles, containers, and appliances. Recycled material is run through the typical product manufacturing process to produce final cold formed steel framing products.

MANGANESE

ID: 7439-96-5

HAZARD DATA SOURCE: Pharos Chemical and Materials Library			HAZARD SCREENING DATE: 2025-04-14 7:55:49		
%: 0.0000 - 1.3500	GreenScreen: LT-P1	RC: Both	NANO: No	SUBSTANCE ROLE: Alloy element	

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
END	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor
MUL	German FEA - Substances Hazardous to Waters	Class 3 - Severe Hazard to Waters
REP	GHS - Japan	H360 - May damage fertility or the unborn child [Toxic to reproduction - Category 1B]
MAM	GHS - Japan	H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organs/systemic toxicity following repeated exposure - Category 1]
MAM	GHS - Australia	H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organ toxicity - repeated exposure - Category 1]
AQU	GHS - New Zealand	Hazardous to the aquatic environment - chronic category 3
AQU	GHS - Japan	H401 - Toxic to aquatic life [Hazardous to the aquatic environment (acute) - Category 2]
AQU	GHS - Japan	H411 - Toxic to aquatic life with long lasting effects [Hazardous to the aquatic environment (chronic) - Category 2]
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CP II)	C2C Certified v4.0 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022  Biological and Environmentally Released Materials
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CP II)	C2C Certified v4.0 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022  Children's Products
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CP II)	C2C Certified v4.1 Product Standard Restricted Substances - Effective July 1, 2024  Children's Toy Products

SUBSTANCE NOTES: Substance can be / is sourced from other recycled steel scrap material, old automobiles, containers, and appliances. Recycled material is run through the typical product manufacturing process to produce final cold formed steel framing products.

CARBON				ID: 7440-44-0	
HAZARD DATA SOURCE: Pharos Chemical and Materials Library			HAZARD SCREENING DATE: 2025-04-14 7:55:50		
%: 0.1500 - 0.2500	GreenScreen: LT-UNK	RC: Both	NANO: No	SUBSTANCE ROLE: Alloy element	
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS		
None found	No warnings found on HPD Priority Hazard Lists				

ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
RESTRICTED LIST	Green Science Policy Institute (GSPI)	GSPI - Six Classes Precautionary List
		Antimicrobials
SUBSTANCE NOTES: Substance can be / is sourced from other recycled steel scrap material, old automobiles, containers, and appliances. Recycled material is run through the typical product manufacturing process to produce final cold formed steel framing products.		

COPPER

ID: 7440-50-8

HAZARD DATA SOURCE: <b>Pharos Chemical and Materials Library</b>			HAZARD SCREENING DATE: <b>2025-04-14 7:55:50</b>	
%: <b>0.1500 - 0.2500</b>	GreenScreen: <b>LT-P1</b>	RC: <b>Both</b>	NANO: <b>No</b>	SUBSTANCE ROLE: <b>Alloy element</b>
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
MUL	German FEA - Substances Hazardous to Waters		Class 3 - Severe Hazard to Waters	
AQU	EU - GHS (H-Statements) Annex 6 Table 3-1		H411 - Toxic to aquatic life with long lasting effects [Hazardous to the aquatic environment (chronic) - Category 2]	
MAM	GHS - Japan		H335 - May cause respiratory irritation [Specific target organ toxicity - Single exposure - Category 3]	
MAM	GHS - Japan		H370 - Causes damage to organs [Specific target organs/systemic toxicity following single exposure - Category 1]	
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION	
RESTRICTED LIST	Perkins+Will (P+W)		P&W - Precautionary List	
			Precautionary list of substances recommended for avoidance	
RESTRICTED LIST	Green Science Policy Institute (GSPI)		GSPI - Six Classes Precautionary List	
			Antimicrobials	
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CP II)		C2C Certified v4.0 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022	
			Biological and Environmentally Released Materials	
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CP II)		C2C Certified v4.0 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022	
			Children's Products	
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CP II)		C2C Certified v4.1 Product Standard Restricted Substances - Effective July 1, 2024	
			Children's Toy Products	

HAZARD DATA SOURCE: <b>Pharos Chemical and Materials Library</b>			HAZARD SCREENING DATE: <b>2025-04-14 7:55:51</b>	
%: <b>0.1500 - 0.2000</b>	GreenScreen: <b>BM-2</b>	RC: <b>Both</b>	NANO: <b>No</b>	SUBSTANCE ROLE: <b>Alloy element</b>
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
MAM	US EPA - EPCRA Extremely Hazardous Substances		Extremely Hazardous Substances	
MAM	GHS - New Zealand		Specific target organ toxicity - repeated exposure category 1	
PHY	GHS - New Zealand		Pyrophoric solids category 1	
EYE	GHS - New Zealand		Serious eye damage category 1	
AQU	GHS - New Zealand		Hazardous to the aquatic environment - acute category 1	
AQU	GHS - New Zealand		Hazardous to the aquatic environment - chronic category 1	
MAM	Québec CSST - WHMIS 1988		Class D1A - Very toxic material causing immediate and serious toxic effects	
SKI	GHS - New Zealand		Skin corrosion category 1A	
MAM	GHS - New Zealand		Acute dermal toxicity category 1	
MAM	GHS - New Zealand		Acute inhalation toxicity category 1	
MAM	GHS - New Zealand		Acute oral toxicity category 1	
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION	
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPH)	C2C Certified v4.0 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022		
		Cosmetics & Personal Care Products		
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPH)	C2C Certified v4.1 Product Standard Restricted Substances - Effective July 1, 2024		
		Cosmetics and Personal Care Products		
SUBSTANCE NOTES: Substance can be / is sourced from other recycled steel scrap material, old automobiles, containers, and appliances. Recycled material is run through the typical product manufacturing process to produce final cold formed steel framing products.				

HAZARD DATA SOURCE: <b>Pharos Chemical and Materials Library</b>			HAZARD SCREENING DATE: <b>2025-04-14 7:55:51</b>	
#: <b>0.0000 - 0.2000</b>	GreenScreen: <b>LT-1</b>	RC: <b>Both</b>	NANO: <b>No</b>	SUBSTANCE ROLE: <b>Alloy element</b>

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
CAN	US CDC - Occupational Carcinogens	Occupational Carcinogen
CAN	MAK	Carcinogen Group 1 - Substances that cause cancer in man
MUL	German FEA - Substances Hazardous to Waters	Class 3 - Severe Hazard to Waters
CAN	IARC	Group 1 - Agent is Carcinogenic to humans
CAN	CA EPA - Prop 65	Carcinogen
CAN	US NIH - Report on Carcinogens	Known to be a human Carcinogen
CAN	IARC	Group 2b - Possibly carcinogenic to humans
CAN	US NIH - Report on Carcinogens	Reasonably Anticipated to be Human Carcinogen
RES	MAK	Sensitizing Substance Sah - Danger of airway & skin sensitization
CAN	EU - GHS (H-Statements) Annex 6 Table 3-1	H351 - Suspected of causing cancer [Carcinogenicity - Category 2]
MAM	EU - GHS (H-Statements) Annex 6 Table 3-1	H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organ toxicity - repeated exposure - Category 1]
CAN	GHS - New Zealand	Carcinogenicity category 2
CAN	GHS - Japan	H351 - Suspected of causing cancer [Carcinogenicity - Category 2]
MAM	GHS - Japan	H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organs/systemic toxicity following repeated exposure - Category 1]
MAM	GHS - Australia	H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organ toxicity - repeated exposure - Category 1]
MAM	GHS - Japan	H370 - Causes damage to organs [Specific target organs/systemic toxicity following single exposure - Category 1]
CAN	EU - Annex VI CMRs	Carcinogen Category 2 - Suspected human Carcinogen
SKI	GHS - New Zealand	Skin sensitisation category 1
AQU	GHS - New Zealand	Hazardous to the aquatic environment - acute category 1
AQU	GHS - New Zealand	Hazardous to the aquatic environment - chronic category 1
CAN	GHS - Australia	H351 - Suspected of causing cancer [Carcinogenicity - Category 2]

ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
RESTRICTED LIST	Green Science Policy Institute (GSPI)	GSPI - Six Classes Precautionary List  Certain Metals
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CP II)	C2C Certified v4.0 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022  Biological and Environmentally Released Materials
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CP II)	C2C Certified v4.0 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022  Children's Products
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CP II)	C2C Certified v4.0 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022  Footwear, Apparel & Jewelry Products
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CP II)	C2C Certified v4.1 Product Standard Restricted Substances - Effective July 1, 2024  All Products
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CP II)	C2C Certified v4.1 Product Standard Restricted Substances - Effective July 1, 2024  Children's Toy Products
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CP II)	C2C Certified v4.1 Product Standard Restricted Substances - Effective July 1, 2024  Cosmetics and Personal Care Products

SUBSTANCE NOTES: Substance can be / is sourced from other recycled steel scrap material, old automobiles, containers, and appliances. Recycled material is run through the typical product manufacturing process to produce final cold formed steel framing products.

MOLYBDENUM

ID: 7439-98-7

HAZARD DATA SOURCE: <b>Pharos Chemical and Materials Library</b>			HAZARD SCREENING DATE: <b>2025-04-14 7:55:51</b>	
%: <b>0.0000 - 0.1600</b>	GreenScreen: <b>LT-UNK</b>	RC: <b>Both</b>	NANO: <b>No</b>	SUBSTANCE ROLE: <b>Alloy element</b>
HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS		
MAM	GHS - Japan	H335 - May cause respiratory irritation [Specific target organ toxicity - Single exposure - Category 3]		
SKI	GHS - Japan	H315 - Causes skin irritation [Skin corrosion / irritation - Category 2]		
REP	GHS - New Zealand	Reproductive toxicity category 2		
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION		
None found		No listings found on Additional Hazard Lists		

SUBSTANCE NOTES: Substance can be / is sourced from other recycled steel scrap material, old automobiles, containers, and appliances. Recycled material is run through the typical product manufacturing process to produce final cold formed steel framing products.

CHROMIUM

ID: 7440-47-3

HAZARD DATA SOURCE: Pharos Chemical and Materials Library

HAZARD SCREENING DATE: 2025-04-14 7:55:52

%: 0.0000 - 0.1500

GreenScreen: LT-P1

RC: Both

NANO: No

SUBSTANCE ROLE: Alloy element

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
END	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor
SKI	MAK	Sensitizing Substance Sh - Danger of skin sensitization
MAM	GHS - Japan	H335 - May cause respiratory irritation [Specific target organ toxicity - Single exposure - Category 3]
REP	GHS - New Zealand	Reproductive toxicity category 2
RES	GHS - Japan	H334 - May cause allergy or asthma symptoms or breathing difficulties if inhaled [Respiratory sensitization - Category 1A]
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CP II)	C2C Certified v4.0 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022  Biological and Environmentally Released Materials
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CP II)	C2C Certified v4.0 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022  Children's Products
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CP II)	C2C Certified v4.0 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022  Cosmetics & Personal Care Products
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CP II)	C2C Certified v4.1 Product Standard Restricted Substances - Effective July 1, 2024  Children's Toy Products
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CP II)	C2C Certified v4.1 Product Standard Restricted Substances - Effective July 1, 2024  Cosmetics and Personal Care Products

SUBSTANCE NOTES: Substance can be / is sourced from other recycled steel scrap material, old automobiles, containers, and appliances. Recycled material is run through the typical product manufacturing process to produce final cold formed steel framing products.

TITANIUM

ID: 7440-32-6



HAZARD DATA SOURCE: <b>Pharos Chemical and Materials Library</b>			HAZARD SCREENING DATE: <b>2025-04-14 7:55:53</b>	
%: <b>0.0000 - 0.1500</b>	GreenScreen: <b>LT-UNK</b>	RC: <b>Both</b>	NANO: <b>No</b>	SUBSTANCE ROLE: <b>Alloy element</b>
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
PHY	GHS - Japan		H225 - Highly flammable liquid and vapour [Flammable solids - Category 1]	
PHY	GHS - Japan		H250 - Catches fire spontaneously if exposed to air [Pyrophoric solids - Category 1]	
PHY	GHS - Japan		H251 - Self-heating;; may catch fire [Self-heating substances and mixtures - Category 1]	
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION	
None found			No listings found on Additional Hazard Lists	
SUBSTANCE NOTES: Substance can be / is sourced from other recycled steel scrap material, old automobiles, containers, and appliances. Recycled material is run through the typical product manufacturing process to produce final cold formed steel framing products.				

NIOBIUM

ID: 7440-03-1

HAZARD DATA SOURCE: <b>Pharos Chemical and Materials Library</b>			HAZARD SCREENING DATE: <b>2025-04-14 7:55:53</b>	
%: <b>0.0000 - 0.1000</b>	GreenScreen: <b>LT-UNK</b>	RC: <b>Both</b>	NANO: <b>No</b>	SUBSTANCE ROLE: <b>Alloy element</b>
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
None found			No warnings found on HPD Priority Hazard Lists	
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION	
None found			No listings found on Additional Hazard Lists	
SUBSTANCE NOTES: Substance can be / is sourced from other recycled steel scrap material, old automobiles, containers, and appliances. Recycled material is run through the typical product manufacturing process to produce final cold formed steel framing products.				

NITROGEN

ID: 7727-37-9

HAZARD DATA SOURCE: <b>Pharos Chemical and Materials Library</b>			HAZARD SCREENING DATE: <b>2025-04-14 7:55:52</b>	
%: <b>0.0000 - 0.1000</b>	GreenScreen: <b>NoGS</b>	RC: <b>Both</b>	NANO: <b>No</b>	SUBSTANCE ROLE: <b>Alloy element</b>
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
None found			No warnings found on HPD Priority Hazard Lists	
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION	
EXEMPT	European Union / European Commission (EU EC)		EU - REACH Exemptions	
			Exempted from REACH Annex IV listing due to intrinsic safety	

SUBSTANCE NOTES: Substance can be / is sourced from other recycled steel scrap material, old automobiles, containers, and appliances. Recycled material is run through the typical product manufacturing process to produce final cold formed steel framing products.

ZINC, ELEMENTAL

ID: 7440-66-6

HAZARD DATA SOURCE: Pharos Chemical and Materials Library			HAZARD SCREENING DATE: 2025-04-14 7:55:52	
?: 0.0000 - 0.0700	GreenScreen: LT-P1	RC: None	NANO: No	SUBSTANCE ROLE: Galvanizing
HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS		
MUL	German FEA - Substances Hazardous to Waters	Class 3 - Severe Hazard to Waters		
AQU	GHS - New Zealand	Hazardous to the aquatic environment - acute category 1		
AQU	GHS - New Zealand	Hazardous to the aquatic environment - chronic category 1		
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION		
RESTRICTED LIST	Green Science Policy Institute (GSPI)	GSPI - Six Classes Precautionary List		
		Antimicrobials		
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4.0 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022		
		Biological and Environmentally Released Materials		
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4.0 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022		
		Children's Products		
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4.1 Product Standard Restricted Substances - Effective July 1, 2024		
		Children's Toy Products		

SUBSTANCE NOTES: This substance is used in the galvanizing process of cold formed steel material.

SILICON, ELEMENTAL

ID: 7440-21-3

HAZARD DATA SOURCE: Pharos Chemical and Materials Library			HAZARD SCREENING DATE: 2025-04-14 7:55:53	
?: 0.0000 - 0.0500	GreenScreen: LT-UNK	RC: Both	NANO: No	SUBSTANCE ROLE: Alloy element
HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS		
None found		No warnings found on HPD Priority Hazard Lists		
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION		
None found		No listings found on Additional Hazard Lists		

SUBSTANCE NOTES: Substance can be / is sourced from other recycled steel scrap material, old automobiles, containers, and appliances. Recycled material is run through the typical product manufacturing process to produce final cold formed steel framing products.

ALUMINUM

ID: 7429-90-5

HAZARD DATA SOURCE: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2025-04-14 7:55:53

%: 0.0000 - 0.0500 GreenScreen: LT-P1 RC: Both NANO: No SUBSTANCE ROLE: Alloy element

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
END	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor
MAM	GHS - Japan	H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organs/systemic toxicity following repeated exposure - Category 1]
MAM	GHS - Japan	H370 - Causes damage to organs [Specific target organs/systemic toxicity following single exposure - Category 1]
PHY	GHS - Japan	H261 - In contact with water releases flammable gas [Substances and mixtures, which in contact with water, emit flammable gases - Category 2]
PHY	GHS - Malaysia	H250 - Catches fire spontaneously if exposed to air [Pyrophoric liquids; Pyrophoric solids - Category 1]
PHY	GHS - Australia	H250 - Catches fire spontaneously if exposed to air [Pyrophoric liquids; Pyrophoric solids - Category 1]
PHY	GHS - New Zealand	Pyrophoric solids category 1
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4.0 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022  Biological and Environmentally Released Materials
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4.0 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022  Children's Products
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4.1 Product Standard Restricted Substances - Effective July 1, 2024  Children's Toy Products

SUBSTANCE NOTES: Substance can be / is sourced from other recycled steel scrap material, old automobiles, containers, and appliances. Recycled material is run through the typical product manufacturing process to produce final cold formed steel framing products.

VANADIUM

ID: 22541-77-1

HAZARD DATA SOURCE: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2025-04-14 7:55:54

%: **0.0000 - 0.0500**
 GreenScreen: **LT-1**
 RC: **Both**
 NANO: **No**
 SUBSTANCE ROLE: **Alloy element**

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
CAN	MAK	Carcinogen Group 2 - Considered to be carcinogenic for man
GEN	MAK	Germ Cell Mutagen 2
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
None found		No listings found on Additional Hazard Lists

SUBSTANCE NOTES: Substance can be / is sourced from other recycled steel scrap material, old automobiles, containers, and appliances. Recycled material is run through the typical product manufacturing process to produce final cold formed steel framing products.

SULFUR, HOMOPOLYMER
 ID: **9035-99-8**

HAZARD DATA SOURCE: **Pharos Chemical and Materials Library**
 HAZARD SCREENING DATE: **2025-04-14 7:55:52**

%: **0.0000 - 0.0400**
 GreenScreen: **LT-UNK**
 RC: **Both**
 NANO: **No**
 SUBSTANCE ROLE: **Alloy element**

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
None found		No listings found on Additional Hazard Lists

SUBSTANCE NOTES: Substance can be / is sourced from other recycled steel scrap material, old automobiles, containers, and appliances. Recycled material is run through the typical product manufacturing process to produce final cold formed steel framing products.

### Section 3: Certifications and Compliance

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

VOC EMISSIONS	Extended Producer Responsibility (EPR) program - LEED compliant	
CERTIFYING PARTY: Self-declared	ISSUE DATE: 2021-06-22 00:00:00	CERTIFIER OR LAB: LEED
APPLICABLE FACILITIES: All	EXPIRY DATE:	
CERTIFICATE URL:		
CERTIFICATION AND COMPLIANCE NOTES: Inherently non-emitting source per LEED		

### Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

No accessories are required for this product.

### Section 5: General Notes

The Steel Network, Inc. (TSN) is a manufacturer of light gauge (cold-formed) steel studs and connectors based in the United States, with locations in North Carolina, Texas, and Nevada. We provide solutions for all standard light steel framing applications, including load-bearing mid-rise construction systems, curtain wall systems, rigid connectors, vertical deflection connectors, lateral drift connectors, and short wall connectors. Substantial effort has been made by the light steel framing industry to standardize construction practices to ensure the positive connections of light steel framing components. Since TSN first brought Vertical Deflection Connectors to the market, we have performed extensive field and laboratory testing on all our products. More recently TSN instituted an ISO 9001:2015 Quality Management System to ensure our products are of the highest quality for our light steel framing designers and installers.

The competitive advantage TSN offers its customers lies in the cost savings, rapid construction, high quality, and green construction options provided by its core product lines: BackIt®, BridgeClip®, BuckleBridge®, CircleTrak®, DriftClip®, DriftTrack®, GripClip®, JamStud®, MasterClip®, MidWall™, PrimeJoist®, SigmaStud®, StiffClip®, StiffWall®, ThermaFast®, VertiClip®, and VertiTrack®. We also assist engineers, architects, and panelizers to streamline cold formed steel design and shop drawing production with our SteelSmart® System (SSS) structural design software, and SteelSmart® Frammer (SSF) BIM framing plugin for Autodesk® Revit®.

MANUFACTURER INFORMATION

MANUFACTURER: **The Steel Network, Inc.**  
ADDRESS: **2012-A TW Alexander Drive**  
**Durham, NC 27709**  
COUNTRY: **United States**  
LATITUDE: **35.9166000**  
LONGITUDE: **-78.8185000**

WEBSITE: **<https://steelnetwork.com/>**  
CONTACT NAME: **QC**  
TITLE: **Manager**  
PHONE: **919-845-1025**  
EMAIL: **[support@steelnetwork.com](mailto:support@steelnetwork.com)**

*The listed contact is responsible for the validity of this HPD and attests that it is accurate and complete to the best of his or her knowledge.*

KEY

Hazard Types

<b>AQU</b> Aquatic toxicity	<b>LAN</b> Land toxicity	<b>PHY</b> Physical hazard (flammable or reactive)
<b>CAN</b> Cancer	<b>MAM</b> Mammalian/systemic/organ toxicity	<b>REP</b> Reproductive
<b>DEV</b> Developmental toxicity	<b>MUL</b> Multiple	<b>RES</b> Respiratory sensitization
<b>END</b> Endocrine activity	<b>NEU</b> Neurotoxicity	<b>SKI</b> Skin sensitization/irritation/corrosivity
<b>EYE</b> Eye irritation/corrosivity	<b>NF</b> Not found on Priority Hazard Lists	<b>UNK</b> Unknown
<b>GEN</b> Gene mutation	<b>OZO</b> Ozone depletion	
<b>GLO</b> Global warming	<b>PBT</b> Persistent, bioaccumulative, and toxic	

GreenScreen (GS)

<b>BM-4</b> Benchmark 4 (prefer-safer chemical)	<b>LT-P1</b> List Translator Possible 1 (Possible Benchmark-1)
<b>BM-3</b> Benchmark 3 (use but still opportunity for improvement)	<b>LT-1</b> List Translator 1 (Likely Benchmark-1)
<b>BM-2</b> Benchmark 2 (use but search for safer substitutes)	<b>LT-UNK</b> List Translator Benchmark Unknown
<b>BM-1</b> Benchmark 1 (avoid - chemical of high concern)	<b>NoGS</b> No GreenScreen.
<b>BM-U</b> Benchmark Unspecified (due to insufficient data)	

GreenScreen Benchmark scores sometimes also carry subscripts, which provide more context for how the score was determined. These are DG (data gap), TP (transformation product), and CoHC (chemical of high concern). For more information, see 2.2.2.4 GreenScreen® for Safer Chemicals, [www.greenscreenchemicals.org](http://www.greenscreenchemicals.org), and Best Practices for Hazard Screening on the HPDC website ([hpd-collaborative.org](http://hpd-collaborative.org)).

Recycled Types

**PreC** Pre-consumer recycled content  
**PostC** Post-consumer recycled content  
**UNK** Inclusion of recycled content is unknown  
**None** Does not include recycled content

Other Terms:

**GHS SDS** Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

Inventory Methods:

**Nested Method / Material Threshold** Substances listed within each material per threshold indicated per material  
**Nested Method / Product Threshold** Substances listed within each material per threshold indicated per product  
**Basic Method / Product Threshold** Substances listed individually per threshold indicated per product

**Nano** Composed of nano scale particles or nanotechnology  
**Third Party Verified** Verification by independent certifier approved by HPDC  
**Preparer** Third party preparer, if not self-prepared by manufacturer  
**Applicable facilities** Manufacturing sites to which testing applies

*The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:*

- a method for the assessment of exposure or risk associated with product handling or use,*
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.*

*Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.*

*The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.*

